



TRACTOR -- MODEL NUMBER CO185H42STC

SCHEMATIC



REPAIR PARTS

TRACTOR - - MODEL NUMBER CO185H42STC ELECTRICAL



ELECTRICAL **TRACTOR - - MODEL NUMBER CO185H42STC**

| KEY NO. | PART NO. | DESCRIPTION |
|----------------|-----------------|-----------------------------------|
| 1 | 163465 | Battery |
| 2 | 74760412 | Bolt, Hex 1/4-20 x 3/4 |
| 8 | 7603J | Tray, Battery |
| 10 | 145211 | Bolt, Btr Front 1/4-20 x 7-1/2 |
| 11 | 150109 | Holddown Battery Front Mount |
| 12 | 145769 | Nut, Push Nylon Battery Front 1/4 |
| 16 | 176138 | Switch Interlock |
| 21 | 175688 | Harness, Light |
| 22 | 4152J | Light Bulb |
| 24 | 8860R | Cable, Starter |
| 25 | 146148 | Cable, Battery |
| 26 | 175158 | Fuse |
| 27 | 73510400 | Nut Keps Hex 1/4-20 unc |
| 28 | 145491 | Cable, Ground |
| 29 | 121305X | Switch, Seat |
| 30 | 175566 | Switch, Ignition |
| 33 | 140401 | Key, Molded |
| 40 | 192936 | Harness, Ignition |
| 41 | 17720408 | Screw Thd Cut 1/4-20 x 1/2 |
| 42 | 131563 | Cover, Terminal |
| 43 | 178861 | Solenoid |
| 45 | 122822X | Ammeter |
| 46 | 169635 | Hourmeter |
| 50 | 174653 | Switch, PTO |
| 55 | 17490508 | Screw Thdrol 5/16-18 x 1/2 |
| 79 | 175242 | Socket Asm bulb Twistlock |
| 80 | 146685 | Harness Clutch EVX |
| 89 | 169639 | Bracket Snap-In |

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm


**TRACTOR - - MODEL NUMBER CO185H42STC
CHASSIS AND ENCLOSURES**

| KEY NO. | PART NO. | DESCRIPTION |
|--------------------|---------------------|--------------------------------------|
| 1 | 174619 | Chassis |
| 2 | 176554 | Drawbar |
| 9 | 161566X428 | Dash |
| 10 | 72140608 | Bolt RDHD SQNK 3/8-16 x 1 |
| 11 | 167203 | Panel, Dash, LH |
| 13 | 188702X010 | Panel, Dash, RH |
| 14 | 17490608 | Screw Thdrol 3/8-16 x 1/2 |
| 17 | 175260X428 | Hood Assembly |
| 20 | 162026 | Plate Battery |
| 26 | 73800600 | Locknut, Hex, with Insert 3/8-16 unc |
| 28 | 175289X428 | Grille |
| 29 | 161840 | Lens, Bar |
| 30 | 188572X428 | Fender/Footrest |
| 31 | 139976 | Bracket, Fender/Support |
| 37 | 17490508 | Screw, Thdrol. 5/16-18 x 1/2 TYT |
| 38 | 175710 | Bracket Asm Pivot Mower Rear |
| 54 | 161464 | Screw Hex Wshd 8-18 x 7/8 |
| 58 | 175351 | Duct Hood |
| 59 | 187495 | Bushing 1.375 OD |
| 60 | 72140606 | Bolt Rdhd Sqnk 3/8-16 unc x 3/4 |
| 64 | 174997 | Dash Lower |
| 74 | 73680600 | Nut Crownlock 3/8-16 unc |
| 90 | 124346X | Nut Self Thrd Wshd 1/4 Zinc |
| 142 | 175702 | Plate Reinforcement |
| 143 | 186689 | Bracket Swaybar Chassis |
| 144 | 175582 | Bracket Footrest |
| 145 | 156524 | Rod Pivot Chassis/Hood |
| 154 | 161897 | Bracket Dash Rh |
| 155 | 161900 | Bracket Dash Lh |
| 158 | 162037 | Parking Brake Bkrt |
| 159 | 179950X428 | Cupholder |
| 161 | 164655 | Bumper Extrusion .600 x 3.50 |
| 166 | 191611 | Screw 10 x 3/4 Single Lead-Hex |
| 206 | 170165 | Bolt Shoulder 5/16-18 |
| 209 | 17000612 | Screw Hexwsh Thdr 3/8-16 x 3/4 |
| 213 | 169848X428 | Skirt Grille LH |
| 214 | 169847X428 | Skirt Grille RH |
| 217 | 179132X428 | Console Fuel Window |

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

TRACTOR -- MODEL NUMBER CO185H42STC

GROUND DRIVE



drive-hydro.stlt_73


TRACTOR - - MODEL NUMBER CO185H42STC

GROUND DRIVE

| KEY NO. | PART NO. | DESCRIPTION | KEY NO. | PART NO. | DESCRIPTION |
|---------|----------|---|---------|---------------|-------------------------------------|
| 1 | --- | Transaxle, HydroGear, Model Number 314-0510 (Order parts from transaxle manufacturer) | 64 | 173937 | Bolt, Hex 7/16-20 x 4 Gr. 5-1.5 Thr |
| 8 | 165866 | Rod Shift Fend. | 65 | 10040700 | Washer |
| 9 | 180505 | Clutch Electric | 66 | 154778 | Keeper Belt Engine |
| 10 | 76020416 | Pin Cotter 1/8 x 1 | 69 | 142432 | Screw Hex Wsh H-Lo 1/4-1/2 unc |
| 14 | 10040400 | Washer Lock Hvy 1/4 | 71 | 169183 | Strap Torque LH |
| 15 | 74490544 | Bolt Hex Flghd 5/16-18 Gr. 5 | 73 | 169182 | Strap Torque RH |
| 16 | 73800500 | Nut Lock Hex W/Ins. 5/16-18 unc | 74 | 137057 | Spacer, Axle |
| 17 | 126197X | Washer 1-1/2 x 15/32 x .250 | 75 | 121749X | Washer 25/32 x 1-1/4 x 16 Ga. |
| 19 | 73800600 | Nut Lock Hex W/Wsh 3/8-16 unc | 76 | 12000001 | E-Ring |
| 21 | 106933X | Knob | 77 | 123583X | Key, Square |
| 22 | 169498 | Rod, Brake | 78 | 121748X | Washer 25/32 x 1-5/8 x 16 Ga. |
| 23 | 190736 | Bracket Asm Anti-Rotation | 81 | 165596 | Shaft Assy. Cross Taper |
| 24 | 73350600 | Nut, Hex Jam 3/8-16 unc | 82 | 165711 | Spring Torsion |
| 25 | 106888X | Spring, Brake Rod | 83 | 19171216 | Washer 17/32 x 3/4 x 16 Ga. |
| 26 | 19131316 | Washer | 84 | 169594 | Link Transaxle |
| 27 | 76020412 | Pin Cotter 1/8 x 3/4 CAD. | 89 | 188309X428 | Console, Shift |
| 28 | 175765 | Rod, Parking Brake | 95 | 170201 | Rod Bypass |
| 29 | 71673 | Knob Brake Parking | 96 | 4497H | Retainer Spring 1" Zinc/Cad |
| 30 | 169592 | Bracket, Transaxle | 112 | 19091210 | Washer 9/32 x 3/4 x 10 Ga. |
| 32 | 74760512 | Bolt Hex Hd 5/16-18 unc x 3/4 | 120 | 73900600 | Nut Lock Flg 3/8-16 unc |
| 34 | 175578 | Shaft, Foot Pedal | 144 | 19111016 | Washer 11/32 x 5/8 x 16 Ga. |
| 35 | 120183X | Bearing, Nylon | 150 | 175456 | Spacer Retainer |
| 36 | 19211616 | Washer | 151 | 19133210 | Washer 13/32 x 2 x 10 Ga. |
| 37 | 1572H | Pin, Roll | 156 | 166002 | Washer 5/16 ID x 1.0 x .125 |
| 38 | 179114 | Pulley, Composite | 158 | 165589 | Bracket Shift Mount |
| 39 | 72110622 | Bolt Rdhd 3/8-16 unc x 2-3/4 Gr. 5 | 159 | 183900 | Hub Shift |
| 41 | 175556 | Keeper, Belt Idler Flat | 161 | 72140406 | Bolt Rdhd Sqnk 1/4-20 x 3/4 Gr. 5 |
| 47 | 127783 | Pulley, Idler, V-Groove | 162 | 73680400 | Nut Crownlock 1/4-20 unc |
| 48 | 154407 | Bellcrank Clutch Grnd Drw Stl | 163 | 74780416 | Bolt Hex Fin 1/4-20 unc x 1 Gr. 5 |
| 49 | 123205X | Retainer, Belt | 165 | 165623 | Bracket Pivot Lever |
| 50 | 72110612 | Bolt | 166 | 17490510 | Screw 5/16-18 x 5/8 |
| 51 | 73680600 | Nut Crownlock 3/8-16 unc | 168 | 165492 | Bolt Shoulder 5/16-18 x .561 |
| 52 | 73680500 | Nut, Crownlock 5/16-18 unc | 169 | 165580 | Plate Fastener Cross Shf. |
| 53 | 105710X | Link, Clutch | 197 | 169613 | Nyliner Snap-in 5/8 ID |
| 55 | 105709X | Spring, Return, Clutch | 198 | 169593 | Washer Nyl 7/8 ID x .105" |
| 56 | 17060620 | Screw 3/8-16 x 1-1/4 | 199 | 169612 | Bolt Shoulder 5/16-18 unc |
| 57 | 140294 | V-Belt, Ground Drive | 200 | 72140508 | Bolt Rdhd Sqnk 5/16-18 unc x 1 |
| 59 | 169691 | Keeper, Center Span | 202 | 72110614 | Bolt Carr Sh 3/8-16 x 1-3/4 Gr. 5 |
| 61 | 17120614 | Screw 3/8-16 x .875 | 254 | 17000616 | Screw 3/8-16 x 1 |
| 62 | 123533X | Cover, Pedal | 263 | 17000612 | Screw 3/8-16 x .75 |
| 63 | 174607 | Pulley, Engine | | | |

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

TRACTOR - - MODEL NUMBER CO185H42STC
STEERING ASSEMBLY



steering_stealth_prem_3


TRACTOR - - MODEL NUMBER CO185H42STC
STEERING ASSEMBLY

| KEY NO. | PART NO. | DESCRIPTION |
|----------------|-----------------|-----------------------------------|
| 1 | 159944X428 | Wheel Steering |
| 2 | 184706 | Axle Asm |
| 3 | 169840 | Spindle Asm LH |
| 4 | 169839 | Spindle Asm RH |
| 5 | 6266H | Bearing Race Thrust Harden |
| 6 | 121748X | Washer 25/32 x 1-5/8 x 16 Ga. |
| 8 | 12000029 | Ring Klip #t5304-75 |
| 10 | 175121 | Link Drag |
| 11 | 10040600 | Washer Lock Hvy Hlcl Spr 3/8 |
| 12 | 73940800 | Nut Hex Jam Toplock 1/2-20 unf |
| 13 | 136518 | Spacer Bearing Axle Front |
| 15 | 145212 | Nut Hex Flange Lock |
| 17 | 177883 | Shaft Asm. Steering |
| 29 | 17000612 | Screw 3/8-16 x 3/4 |
| 32 | 171888 | Rod Tie |
| 33 | 19111216 | Washer 11/32 x 3/4 x 16 Ga. |
| 34 | 10040500 | Washer Lock Hlcl Spr 5/16 |
| 35 | 73540500 | Crownlock Nut 5/16-24 unf |
| 36 | 155105 | Bushing Strg |
| 37 | 152927 | Screw |
| 38 | 159946X428 | Insert Cap Strg Wh |
| 39 | 19182411 | Washer 9/16 ID x 1-1/2 OD 11Ga. |
| 40 | 73540600 | Nut Crownlock 3/8-24 |
| 41 | 159945 | Adaptor Wheel Strg |
| 42 | 163888X428 | Boot Steering |
| 43 | 121749X | Washer 25/32 1 1/4 x 16 Ga. |
| 46 | 184946X505 | Cap Spindle |
| 65 | 160367 | Spacer Brace Axle |
| 67 | 72110618 | Bolt, Rdhd Sq 3/8-16 unc x 2-1/4 |
| 68 | 169827 | Axle, Brace |
| 71 | 175146 | Steering Asm. |
| 73 | 160135X428 | Extension Steering Stealth |
| 82 | 169835 | Bracket Susp. Chassis Front |
| 87 | 173966 | Washer Flat .781 x 1-1/2 x .15 |
| 88 | 175118 | Bolt Shoulder 7/16-20 unc |
| 91 | 175553 | Clip Steering |
| 95 | 188967 | Washer Harden .793 x 1.637 x .060 |

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

TRACTOR - - MODEL NUMBER CO185H42STC

ENGINE



engine-bs.1cyl_51


| KEY PART NO. | PART NO. | DESCRIPTION |
|--------------|------------|--|
| 1 | 176636X428 | Control Throttle/Choke |
| 2 | 171875 | Screw Hwhd Hi-Lo #13-16 x 3/4 |
| 3 | ----- | Engine, Briggs Model 31P777 (Order parts for Engine Manufacturer) |
| 4 | 137352 | Muffler Asm Twin Lo-Tone |
| 13 | 165291 | Muffler Gasket |
| 14 | 148456 | Tube Drain oil |
| 23 | 169837 | Shield Heat |
| 29 | 137180 | Kit Spark Arrestor (Flat Scrn) |
| 31 | 179022 | Tank Fuel |
| 32 | 179124X428 | Cap Asm Fuel |
| 33 | 123487X | Clamp Hose Black |
| 37 | 8543R | Line Fuel |
| 38 | 181654 | Plug Drain Oil Easy |

| KEY PART NO. | PART NO. | DESCRIPTION |
|--------------|----------|-----------------------------------|
| 41 | 139277 | Stem Tank Fuel |
| 45 | 17000612 | Screw Hexwsh Thdr 3/8-16 x 3/4 |
| 72 | 183906 | Screw 5/16-18 x 1 |
| 78 | 17060620 | Screw 3/8-16 x 1-1/4 |
| 81 | 73510400 | Nut Keps Hex 1/4-20 unc |
| 112 | 3645J | Bushing |

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm
For engine service and replacement parts, call the toll free number for your engine manufacturer listed below:
Briggs & Stratton 1-800-233-3723
Kohler Co. 1-800-544-2444
Tecumseh Products 1-800-558-5402
Honda Engines 1-800-426-7701
Kawasaki 1-800-460-5688

TRACTOR - - MODEL NUMBER CO185H42STC

SEAT ASSEMBLY



seat_lt.knob_2


| KEY PART NO. | PART NO. | DESCRIPTION |
|--------------|----------|-----------------------------|
| 1 | 189022 | Seat |
| 2 | 140551 | Bracket Pivot Seat |
| 3 | 71110616 | Bolt Fin Hex 3/8-16 unc x 1 |
| 4 | 19131610 | Washer 13/32 x 1 x 10 Ga |
| 5 | 145006 | Clip Push-In |
| 6 | 73800600 | Nut Hex w/Ins. 3/8-16 unc |
| 7 | 124181X | Spring Seat Cprsn |
| 8 | 17000616 | Screw 3/8-16 x 1-1/2 |
| 9 | 19131614 | Washer 13/32 x 1 x 14 Ga. |
| 10 | 182493 | Pan Seat |
| 11 | 166369 | Knob Seat Adj. Wingnut |
| 12 | 121246X | Bracket Mounting Switch |

| KEY PART NO. | PART NO. | DESCRIPTION |
|--------------|----------|---------------------------------|
| 13 | 121248X | Bushing Snap Blk Nyl 50 Id |
| 14 | 72050412 | Bolt Rdhd Sqnk 1/4-20 x 1-1/2 |
| 15 | 121249X | Spacer Split 28x .88 Zinc |
| 16 | 123740X | Spring Cprsn Plate 1.310 Ga |
| 17 | 123976X | Nut Lock 1/4 Lge Flg Gr. 5 Zinc |
| 18 | 124238X | Cap Spring Seat |
| 21 | 171852 | Bolt Shoulder 5/16-18 unc |
| 22 | 73800500 | Nut Hex Lock W/Ins 5/16-18 |
| 24 | 19171912 | Washer 17/32 x 1-3/16 x 12 Ga. |
| 25 | 127018X | Bolt Shoulder 5/16-18 x 62 |

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

TRACTOR - - MODEL NUMBER CO185H42STC

DECALS




KEY PART NO. NO.

| KEY PART NO. | NO. | DESCRIPTION |
|--------------|--------|--------------------------|
| 1 | 187407 | Reflector, LH |
| 3 | 176272 | Decal, Hood RH |
| 4 | 176273 | Decal, Hood LH |
| 5 | 172740 | Decal, Fender |
| 8 | 179128 | Decal, Deck, Caution |
| 9 | 189342 | Decal, Replacement Hood |
| 10 | 157141 | Decal, Fender, Danger |
| 11 | 191648 | Decal, Panel, Dash |
| 14 | 160396 | Decal, V-Belt, Schematic |
| 15 | 187408 | Decal, Reflector, RH |

KEY PART NO. NO.

| KEY PART NO. | NO. | DESCRIPTION |
|--------------|------------|--------------------------|
| 16 | 172743 | Decal, Steering Wheel |
| 18 | 156811 | Decal, Fender Opr. |
| 20 | 145004 | Decal, Battery |
| 21 | 189289 | Decal, Hood, Side Panel |
| 23 | 189288 | Decal, Engine |
| -- | 184310X428 | Pad, Footrest, ST/LT, LH |
| -- | 184311X428 | Pad, Footrest, ST/LT, RH |
| -- | 166960 | Decal By-Pass |
| -- | 193282 | Manual, Owner's, English |
| -- | 193283 | Manual, Owner's, Spanish |

WHEELS & TIRES




KEY PART NO. NO.

| KEY PART NO. | NO. | DESCRIPTION |
|--------------|------------|-----------------------------------|
| 1 | 59192 | Cap Valve Tire |
| 2 | 65139 | Stem Valve |
| 3 | 106222X | Tire F Ts 15 x 6.0 - 6 Service |
| 4 | 59904 | Tube Front (Service Item Only) |
| 5 | 106732X421 | Rim Asm 6" front Service |
| 6 | 278H | Fitting Grease (Front Wheel Only) |
| 7 | 9040H | Bearing Flange (Front Wheel Only) |
| 8 | 106108X421 | Rim Asm 8" rear Service |
| 9 | 122082X | Tire R Ts 20 x 10-8 C Service |
| 10 | 7152J | Tube Rear (Service Item Only) |
| 11 | 104757X421 | Cap Axle 1 50 x 1 00 |
| -- | 144334 | Sealant, Tire (10 oz. Tube) |

NOTE: All component dimensions given in U.S. inches
1 inch = 25.4 mm

TRACTOR - - MODEL NUMBER CO185H42STC
LIFT ASSEMBLY




| KEY PART NO. | PART NO. | DESCRIPTION |
|--------------|----------|---------------------------|
| 1 | 179504 | Plunger Assembly |
| 2 | 159476 | Shaft Assembly, Lift |
| 3 | 188822 | Pin, Groove |
| 4 | 12000002 | E-Ring |
| 5 | 19211621 | Washer 21/32 x 1 x 21 Ga. |
| 6 | 120183X | Bearing, Nylon |
| 7 | 175830 | Grip, Handle, Fluted |
| 11 | 139865 | Link, Lift, L.H. |
| 12 | 139866 | Link, Lift, R.H. |
| 13 | 4939M | Retainer Spring |
| 15 | 173288 | Link Front Sus. |
| 16 | 73350800 | Nut Hex Jam 1/2-13 unc |
| 17 | 175689 | Trunnion Front Susp. |

| KEY PART NO. | PART NO. | DESCRIPTION |
|--------------|----------|-------------------------------|
| 18 | 73800800 | Nut Lock w/Wsh 1/2-13 unc |
| 19 | 139868 | Arm Asm. Suspension Mower |
| 20 | 163552 | Retainer Spring |
| 31 | 169865 | Bearing Pivot Lift |
| 32 | 73540600 | Nut Crownlock 3/8-24 |
| 36 | 155097 | Pointer Height Indicator |
| 37 | 123935X | Plug Hole |
| 38 | 17060516 | Screw 5/16-18 x 1 |
| 40 | 19112410 | Washer 11/32 x 1-1/2 x 10 Ga. |
| 41 | 155098 | Indicator Height Stlt |

NOTE: All component dimensions given in U.S. inches
 1 inch = 25.4 mm

TRACTOR - - MODEL NUMBER CO185H42STC

MOWER DECK



42_D.elec.t-path.adjwl.stlt_3

TRACTOR - - MODEL NUMBER CO185H42STC

MOWER DECK

| KEY NO. | PART NO. | DESCRIPTION | KEY NO. | PART NO. | DESCRIPTION |
|---------|------------|--------------------------------------|---------|----------|---|
| 1 | 182032 | Mower Housing | 92 | 73800600 | Locknut, Hex W/Wsh 3/8-16 unc |
| 2 | 72140506 | Bolt | 94 | 132264 | Roller Nose |
| 3 | 138017 | Bracket Assembly,Sway Bar, Front | 95 | 180533 | Bracket Roller Nose RH |
| 4 | 165460 | Bracket Sway Bar 38/42" | 101 | 136420 | Cover Mulching 42" Black |
| 5 | 4939M | Retainer Spring | 102 | 71081010 | Screw Truss Hd Phil10-24 x 5/8 |
| 6 | 178024 | Bar Sway Deck | 103 | 19061216 | Washer #10 |
| 8 | 850857 | Bolt, Hex 3/8-24 x 1.25 Gr. 8 | 104 | 10071000 | Washer Lock |
| 9 | 10030600 | Washer, Lock | 105 | 160793 | Latch Asm Bagger |
| 10 | 140296 | Washer, Hardened | 106 | 2029J | Nut Weld |
| | | (The following blades are available) | 113 | 17060512 | Screw 5/16-18 |
| 11 | 134149 | Blade, 42" Mulching STD | 116 | 4898H | Bolt, Shoulder |
| | | (For mulching mowers only) | 117 | 165746 | Wheel, Gauge |
| -- | 139775 | Blade, 42" Mulching Premium | 118 | 73930600 | Nut, Crownlock 3/8-1 |
| | | (For better wear when mulching) | 119 | 19121414 | Washer 13/32 x 7/8 x 14 Ga. |
| -- | 138971 | Blade, 42" Hi-Lift | 129 | 19131312 | Washer 13/32 x 13/16 x 12 Ga. |
| | | (For bagging or discharge) | 130 | 74780616 | Bolt, Fin Hex 3/8-16 unc x 1Gr. 5 |
| 13 | 137645 | Shaft Assembly, Mandrel, Vented | 131 | 72140608 | Bolt Rdhd Sqnk 3/8-16 unc x 1 |
| | | (Incl. Key Number 6) | 132 | 17000612 | Screw 3/8-16 x 3/4 |
| 14 | 128774 | Housing, Mandrel, Vented | 134 | 156941 | Pin Head Rivet |
| 15 | 110485X | Bearing, Ball, Mandrel | 135 | 159765 | Bracket Asm. Wheel Gauge Rear LH |
| 16 | 174493 | Stripper, Mower Deck | 136 | 155986 | Bar Adj. Gauge Wheel |
| 18 | 72140505 | Bolt, Carriage 5/16-18 x 5/8 | 138 | 159763 | Bracket Asm. Wheel Gauge Rear RH |
| 19 | 132827 | Bolt, Shoulder | | | Bracket Asm. Wheel Gauge Front RH |
| 20 | 159770 | Baffle, Vortex | 139 | 159767 | Bracket Asm. Wheel Gauge Front RH |
| 21 | 73680500 | Nut, Crownlock 5/16-18 unc | 140 | 159768 | Bracket Asm. Wheel Gauge Front LH |
| 23 | 177563 | Bracket, Deflector | 143 | 157109 | Bracket Arm Idler 42" |
| 24 | 105304X | Cap, Sleeve | 144 | 173441 | Keeper Belt 42" Clutch Cable |
| 25 | 123713X | Spring, Torsion, Deflector | 145 | 173437 | Pulley Idler Flat |
| 26 | 110452X | Nut, Push | 146 | 173443 | Bolt Carriage Idler |
| 27 | 130968X428 | Shield, Deflector | 148 | 169022 | Spring Return Idler |
| 28 | 19111016 | Washer 11/32 x 5/8 x 16 Ga. | 149 | 165898 | Retainer Spring Yellow Zinc |
| 29 | 131491 | Rod, Hinge | 150 | 19091210 | Washer 9/32 x 3/4 x 10 Ga. |
| 30 | 173984 | Screw Thdrol Rolling Wsh Hd | 159 | 72140614 | Bolt Rdhd Sqn 3/8-16 unc x 1-3/4 |
| 31 | 187690 | Washer, Spacer | 182 | 179126 | Rod Roller Nose |
| 32 | 173436 | Pulley, Mandrel | 183 | 163552 | Retainer Spring |
| 33 | 178342 | Nut, Toplock, Flanged | 184 | 19131410 | Washer 3/8 |
| 34 | 72110612 | Bolt | -- | 130794 | Mandrel Assembly (Includes housing, shaft and shaft hardware only-pulley not included) |
| 36 | 173438 | Pulley, Idler, Flat | -- | 181542 | Replacement Mower, Complete (Std. Deck-Order separately mulch cover, gauge wheels and nose roller components key nos. 101 - 106, 5, 116 - 119, 134, 136 and 91, 94, 95, 132, 182, 183). |
| 37 | 19131316 | Washer 13/32 x 13/16 x 16 Ga. | | | |
| 40 | 73900600 | Nut, Lock 3/8-16 unc | | | |
| 44 | 140088 | Guard, Mandrel, L.H. | | | |
| 45 | 4497H | Retainer | | | |
| 46 | 137729 | Screw, Thd. Roll 1/4-20 x 5/8 | | | |
| 54 | 178515 | Washer, Hardened | | | |
| 55 | 155046 | Arm, Idler | | | |
| 56 | 122052X | Spacer, Retainer | | | |
| 59 | 173442 | Guard, Tuv Idler | | | |
| 61 | 174882 | Spring Ext Elect Clutch | | | |
| 68 | 174883 | V-Belt | | | |
| 91 | 180532 | Bracket Roller Nose LH | | | |

NOTE: All component dimensions given in U.S.inches
1 inch = 25.4 mm