


ROTARY LAWN MOWER - - MODEL NUMBER PR65Y21RSP (MFG. ID. NUMBER 96142002600)



2

ROTARY LAWN MOWER - - MODEL NUMBER **PR65Y21RSP** (MFG. ID. NUMBER 96142002600)

3

KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	194203X479	Handle, Upper	31	189028	Blade, 21"
2	193664X479	Handle, Lower	32	851074	Washer
3	186053	Spring, Rear Door, RH	33	850263	Washer, Lock
4	194788	Rope Guide	34	851084	Bolt, Hex Head
5	132004	Nut, Hex, with Lockwasher Insert 1/4-20	35	188786	Debris Shield
6	66426	Wire, Tie	36	192325	Bolt
7	191574	Bolt, Handle 5/16-18 x 2-5/8	37	150406	Bolt, Engine
8	189713X428	Knob, Handle	38	- - -	Engine, Briggs & Stratton, Model Number 123K02 (For engine service and replacement parts, call Briggs & Stratton at 1-800-233-3723)
9	194199X428	Control Bar			
10	188821	Bolt, Carriage			
11	73930500	Locknut, Hex 5/16-18	41	107339X	Danger Decal
12	51793	Cotter, Hairpin	42	54583	Screw
13	186052	Spring, Rear Door, LH	45	183058X428	Mulcher Door Assembly
14	750634	Screw	46	169699X428	Discharge Guard
15	850733X004	Bracket, Upstop	47	88349	Nut, Hex
16	185855X428	Rear Door Assembly	48	188839X004	Mounting Bracket, Debris Shield
17	184193	Bolt, Rear Door	50	57808	Screw
18	198170	Plug, Mulcher	51	193791	Pulley, Idler
19	402487	Kit, Housing	52	145212	Flanged Nut
20	192980X479	Handle Bracket Assembly, LH	53	155552	Locknut
21	192979X479	Handle Bracket Assembly, RH	54	193792X004	Idler Arm
22	150078	Screw, Hex Washer Head	55	166043	Idler Pulley
23	163183	Bolt, Hex Head 5/16-18 x 5/8	56	160829	Shoulder Bolt
24	73800500	Nut, Hex, with Lockwasher Insert 5/16-18	57	193315	Bracket Assembly
25	161333	Baffle, Side	60	182226	Spring, Return
26	163409	Screw #12 x 5/8	96	197991	Clip, Cable
27	192876	Skirt, Rear	--	162300	Warning Decal (not shown)
28	88652	Screw, Hinge 1/4-20 x 1.25	--	193733	Operator's Manual, English
29	191221	Cable, Engine Zone Control	--	193736	Operator's Manual, French
30	189179	Blade Adapter / Pulley	--	402989	Repair Parts Manual, English / French

NOTE: All component dimensions given in U.S. inches. 1 inch = 25.4 mm.

IMPORTANT: Use only Original Equipment Manufacturer (O.E.M.) replacement parts. Failure to do so could be hazardous, damage your lawn mower and void your warranty.

ROTARY LAWN MOWER - - MODEL NUMBER **PR65Y21RSP** (MFG. ID. NUMBER 96142002600)

KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	189181	Drive Control Assembly (Includes Cable)	31	175098	Pawl
2	194185X428	Control Bar, Drive	32	193912X421	Wheel & Tire Assembly, Rear 8 x 1-3/4
3	191730	Nut, Hex 1/4-20	33	83923	Nut, Flangelock 3/8-16
4	185681	Screw	34	175103	Gear
11	188291	Spring, Torsion	35	175105	Retainer, Drive, LH
12	187653	Screw	36	175104	Disc, Drive
13	193354	Gear Case Assembly, Complete	37	184172	Seal, Friction
14	193443	Pulley, Drive	38	175102	Retainer, Drive, RH
15	197235	Kit, Wheel Adjuster Assembly, RH (Includes Knob and Bearing)	40	193909X421	Wheel & Tire Assembly, Front 8 x 1-3/4
16	197234	Kit, Wheel Adjuster Assembly, LH (Includes Knob and Bearing)	41	188330	Pinion Assembly, RH
17	166785	Nut, Hex	43	188331	Pinion Assembly, LH
18	168360X004	Spring, Selector	44	183688	V-Belt
19	87877	Knob, Selector Spring	47	67725	Washer
20	160835X007	Bracket, Wheel Adjusting	51	187530	* Case, Lower
21	160828	Bolt, Shoulder, Hex Head	52	187531	* Case, Upper
22	169911	Bearing, Ball	53	187532	Gear, 24 Teeth
23	186578X004	Axle Arm Assembly, RH	54	187533	Shaft, Input
24	186577X004	Axle Arm Assembly, LH	55	183505	Wire, Formed
25	199775X428	Cover Drive	56	183506	Bearing, Ball
26	750634	Screw, Threaded, Rolled #10-25 x .50	57	183508	Seal, Output Shaft
27	183901	Spacer	58	183509	Washer
28	12000058	E-Ring 7/16	59	183511	Bushing
29	189403	Cover, Dust, Wheel	60	197385	Shaft, Output
30	73800400	Nut, Hex	61	183513	Screw
			62	183514	Seal, Input Shaft

* Use Dow Corning #709 to reseal Gear Case Halves.

NOTE: All component dimensions given in U.S. inches. 1 inch = 25.4 mm.

IMPORTANT: Use only Original Equipment Manufacturer (O.E.M.) replacement parts. Failure to do so could be hazardous, damage your lawn mower and void your warranty.